




BEATLESPRODUCT DATA SPECIFICATION



Beatles Lounge Chair

	Description
DIMENSIONS / FABRIC METERAGE	Overall Dimensions: 730mmW x 750mmD x 760mmH Seat Height: 390mmH Fabric Meterage: 2.28m
MATERIALS & CONSTRUCTION	The shell is made up of P2 plywood and hiogh resilience foam, finished in high quality upholstery. The base is constructed from 16mm x 2mmT steel tubing, finished with electrostatic powder spray.
ADJUSTMENT	N/A
FEATURES	Secure steel frame Designed for any area Great for reading or research
WARRANTY	10 years
LEAD TIME	12 - 14 Weeks
FINISH	Shell Finish Fabric Grade A, B, C, D or E Frame Finish Matt Black
CUSTOMISABLE	N/A
ACCESSORIES	N/A





Fabric Colour Swatches

OTE Sunday

A

Composition Origin Abrasion Lightfastness Rubbing Pilling

100% Polyester China ≥ 40000



Sunday 10



Sunday 34



Sunday 39



Sunday 53



Sunday 83



Sunday 103



Sunday 149



Sunday 02



Sunday 27



Sunday 22



Sunday 80



OTE Vico



vico-04

Composition

93% Polyester, 5% Cotton, 2% Nylon China

Origin Abrasion Lightfastness

China ≥ 40000 4

Rubbing A Pilling



vico 08



vico 09



vico 11



vico 20



vico 33



vico 41



vico 47



vico 64



OTE Decent



Composition Origin Abrasion Lightfastness Rubbing Pilling

100% Polyester China ≥ 40000 4



Decent 02



Decent 09



Decent 10



Decent 15



100% Polyester

China

4-5

Decent 21

Composition Origin

Abrasion Lightfastness

Rubbing

Pilling



Decent 26



Decent 29

Hafeele LE9140B





LE9140B-01



LE9140B-02



LE9140B-16



LE9140B-27



LE9140B-33



LE9140B-35



LE9140B-38

Phone: Email: 1300 300 369 info@abaxkf.com.au EDUCATION, LIBRARY & OFFICE FURNITURE

Web:

abaxkf.com.au 79 064 734 505



Gabriel Medley






GM-60004

Composition Origin Abrasion Lightfastness Rubbing Pilling

100% Polyester Denmark ≥ 75000 5-7 4-5



GM-60167



GM-61002



GM-61003



GM-62002



GM-63017



GM-63064



GM-66007



GM-66010



GM-66145



GM-67053



GM-68002



GM-68005

Novatex

B

Composition 79% Polyester, 13% Acrylic, 8% Viscosa Origin China

Abrasion Lightfastness Rubbing

Pilling

≥ 20000


4-4.5



NA 05



NA 14



NA 18



NA 62



NA 71





54% Polyester, 46% Acrylic China ≥ 25000

Origin Abrasion Lightfastness Rubbing Pilling

3-4



A2267-2A



A2267-3A



Sunbrella

C

Composition
Origin USA
Abrasion

Lightfastness 4-5 Rubbing Pilling



Annex Cobalt 44267-0004




Annex Guava 44267-0006



Draft Classic 145408-0001



Tropics Jungle 145214-0000



Annex Cobalt 44267-0004



Annex Guava 44267-0006



Draft Classic 1 45408-0001



Tropics Jungle 145214-0000



Camira Oceanic

D

Composition 100% post-consumer

recycled plastic, including 50% SEAQUAL yarn

UK

≥ 100000

Origin Abrasion Lightfastness Rubbing Pilling




OOC03



OOC04



OOC07



00008



OOC10



OOC11



OOC12



OOC13



OOC15



OOC16



Camira Blazer

D

100% Pure New Wool Composition

Origin UK ≥ 50000 Abrasion Lightfastness 5 Rubbing 4





CUZ1E

Pilling

CUZ1W

CUZ30

Kvadrat Remix 3

E

90% new wool worsted Composition

10% nylon Origin Abrasion ≥ 100000 Lightfastness 67


Rubbing Pilling



Remix 30422



Remix 30612



Remix 30632



Remix 30743



Remix 30933



Remix 30982